




FEATURES

Lifting capacity	160 kg (350 lbs.)
Soft start and stop	YES
360-degree patient rotation capability, even at maximum height	YES
Actuator with electric anti-crush mechanism	YES
Water-resistant control handset	YES
Water-resistant electronics and circuit board	YES
Padded and swivel carry bar	YES


ERGOFIT SLINGS

With the specially designed BHM Medical slings, your patients should never have to sit on their sling again. All slings are designed to be installed and removed quickly without lifting the patient.




HAMMOCK SLING

For most transfers. Head-rest incorporated. Suitable for 80% of all patients. Excellent for bathing.



QUICK-FIT SLING

For general transfers. Perfectly suited for stocky or obese patients with strong hips or large thighs.



HYGIENIC SLING

Ideal for transferring to the toilet. It also permits an easy way to change diapers.

SLING SIZES AND PRODUCT NUMBERS

SIZE	SMALL	MEDIUM	LARGE
Suggested weight:	20 - 46 kg (45 - 100 lbs.)	46 - 95 kg (100 - 210 lbs.)	95 - 250 kg (210 - 550 lbs.)
Suggested height:	120 - 150 cm (4' - 4' 11")	151 - 180 cm (5' - 5' 11")	181 cm + (6' +)
Hammock	THA-S	THA-M	THA-L
Hammock 6	THA6-S	THA6-M	THA6-L
Quick-fit	TIR-S	TIR-M	TIR-L
Hygienic	THY-S	THY-M	THY-L

**For a demonstration or more information:
1-800-868-0441**

2001 Tanguay Street
Magog, Quebec, Canada J1X 5Y5
Tel.: (819) 868-0441
Fax: (819) 868-2249
Internet: www.bhm-medical.com
E-mail: bhm@bhm-medical.com



Printed in Canada
B4501




The wall lift has been specially designed for home use. It is the ideal choice when affordability is an important consideration.

stops the motor when the arm rests on something.

with its 360° turning radius

It's portable! Install extra wall brackets and you can move it to other areas.



The optional Ergoscale makes

Ergolift-uvl

